



Environmental Scan: Billy Bond Property Before & After Installing DPE

Amplitude Reading 1-May-26	Amplitude Reading 7-Jul-26	Item Analyzed	Code/Tuning of Item Analyzed
45	9	ELF WAVES (EXTRA LOW FREQUENCY)	52.25-05
32	2	ELF WAVES (EXTRA LOW FREQUENCY)	09.5-31.7
15	5	VORTEX G	283 7111
0	0	VORTEX F	226 6333
6	0	VORTEX E	562 6888
8	4	VORTEX D	166 7444
45	9	VORTEX C	666 0777
20	1	VORTEX B	363 6666
15	9	VORTEX A	106 0555
45	11	NEGATIVE MAGNETIC INFLUENCES	49-3
41	15	NEGATIVE ELECTROMAGNETIC INFLUENCES	38-41
14	3	ENVIRONMENTAL AGENTS	70-62
10	2	mRNA Technology	9017813
17	2	Heavy Metal Poison Index	48.75-48.75
15	0	Chemical Poison Index	49.25-49.25
50	9	Mold	05.5-100
61	16	Aflatoxin	69.5-33
31	6	Nickel	41-100
23	7	Mercury	84.6-100
24	6	Lead	80-100
28	4	Arsenic	52-100
33	4	Aluminum	16-100
52	3	Radiation Fallout	35-39
33	13	Infections	2048907
26	4	Bacteria	5794994
51	12	Parasites Worms	19-100
65	20	Fungus	09-100
0	0	Sodium/Electrolytes	82-42+
36	19	Acidity	34-84
31	27	Alkalinity	26-41
47	117	White Light/Divine Connection	12-22+
47	165	General Vitality/GV	09-49+